



DYIVEC Locking Wheel Nut Removal Kit

Lost Key? Broken Key? Never had the Key?

This simple-to-use kit is capable of removing virtually all wheel locknuts on the market to date, with no damage to the wheel due to the protective steel shroud. It's so effective, it has become the tool of choice for the AA and RAC.

The tool does not rely on strength to work effectively, making it an ideal solution for anybody looking to remove locknuts without the key.

If you would like to see a full demonstration of the Locking Wheelnut Remover in action, visit: www.dynomec.co.uk/video.html

Order Code: DY025 (Standard Kit) Order Code: DY025XL (X-L Kit)

KIT CONTENTS	STANDARD KIT	X-L KIT
Impact Driver	1	\checkmark
LNR Body	1	1
Blade A	1	1
Blade B	1	1
Blade C x 5		1
Blade D	1	1
Jaguar Adaptor		1
Range Rover Adaptor		1
Centre Punch	1	1
Club Hammer		1
PVC Tape		1
Hand Protection Ring	1	√



A PAR



ON ALL ORDERS OVER £25 | UK MAINLAND ONLY





TPM 5TAR KIT DR SERVICING	TER	• 25 High-Pi Valve Cape	Kits Valves /alves ressure ;		overage: 36 age: 612		ode 5611050
5628398 chrader # 65656-KD -143T	Kit Oty - 4 Re Order Oty - 10 Torque - 4.25nm	5628405 Schrader # 65657-KD 6-118	Kit Qty - 4 Re Order Qty - 10 Torque - 6nm	5628412 Schrader # 65658-KI 6-148	Kit Oty - 4 Re Order Oty - 10 Torque - 8nm	5628419 Schrader # 65660-KD 6-115	Kit Oty - 4 Re Order Oty - 10 Torque - 8nm
5628426 chrader # 65961-KD -147	Kit Qty - 4 Re Order Qty - 10 Torque - 8nm	5628433 Schrader # 65962-KD 6-146	Kit Qty - 4 Re Order Qty - 10 Torque - 6nm	5628440 Schrader # 65659-KD 6-141	Kit Oty - 4 Re Order Oty - 10 Torque - 8nm	5628447 Schrader # 66070-KU 6-138	Kit Oty - 4 Re Order Oty - 10 Torque - 8nm
5628454 Schrader N/A S-116T	Kit Qty - 2 Re Order Qty - 10	5628461 Schrader # 65567-68 6-207 (No A)	Kit Oty - 2 Re Order Oty - 10	5628468 Schrader # 65731-67 6-2208	Kit Qty - 2 Re Order Qty - 10	5628475 Schrader # 43171-68 6-231	Kit Oty - 2 Re Order Oty - 10
6628482 chrader # 43148-67 -228T	Kit Oty - 2 Re Order Oty - 10	5628489 Schrader # 66086-67 6-216	Kit Oty - 2 Re Order Oty - 10	5628496 Schrader # N/A 6-201	Kit Qty - 2 Re Order Qty - 10	5628503 sch # 37992-69 / 2-128 Kit Qty - 25 Re Order Qty - 100	5628510 Stn # 4321-99 / 1-1400-1 Kit Gty - 25 Re Order Gty - 100
RDER REF	DESCR	IPTION	PRICE	ORDER REF	DESCR	IPTION	PRICE
628461 Box Of 10) Replacement Va	lves for 65567-68	£14.08	5623838 Valu	e Car Clamp-in Silver	TPMS (Sens-It)	£2.76
628468 Box of 10	Replacement Val	lve for 65731	£21.13	5623845 Valv	e Car Clamp-in Black	TPMS (Sens-It)	£3.35
628475 Box Of 10) Replacement Va	lves for 43171	£21.13				
			£21.13		SENSORS		
	Box of 10 Replacement Valve for 66086		£21.13		Intellisens 02 Clamp in		£47.4
			£21.13		llisens 09 Clamp in		£47.4
			£7.33		Intellisens 09 Snap in		£47.4
			£7.33		Sens IT base sensor (no valve) TPMS EU-Pro Sensor Clamp-in		£32.13
					15 EU-Pro Sensor Clar 15 EU-Pro Sensor Sna	•	£33.60
	•		£33.60		NI EU-Pro Sensor Sna NI EU-Pro 2 Snap-In S		£33.00
	TPMS EU-Pro Sensor Clamp-in TPMS EU-Pro Sensor Snap-in			0020003 NE	• LU-1 10 Z JIIdp-III J	011301	







BUNDLE OFFE Buy the profiler, tool kit, service kit, 2 programmable valves and get all 5 for only... E705.95





SERVICE KIT www.clampcouk.co.uk

EXHAUST REPAIR CLAMPS



Our exhaust repair clamps are ideal for mending broken and rusty exhausts. Available in a range of sizes to fit all exhausts. it's simple to install and expands to the exact diameter needed!

ORDER CODE	DESCRIPTION		
ICLAMP2633	To fit exhaust diameter: 26 - 33mm		
ICLAMP3343	To fit exhaust diameter: 33 - 43mm		
ICLAMP4351	To fit exhaust diameter: 42 - 51mm		
ICLAMP5157	To fit exhaust diameter: 51 - 57mm		
ICLAMP5770	To fit exhaust diameter: 27 -70mm		



Step 1 Remove M6 bolt and slide the tube inside the exhaust until the tube is almost flush with the exhaust pipe.



Step 3

Step 2

Using a small screwdriver,

slide the tube across into

the adjoining pipe using the

zig-zag pattern.

Replace the M6 bolt using a 10mm socket and tighten the bolt to expand the tube sufficiently to hold the two pieces together.



- Lightweight and portable with 667mm handle and
- 2 composite wheels for manoeuvrability. Can be stored vertically to save space.
- Robust high-resistant diaphragm.
- Internal military gauge steel telescopic interlocking core.
- Overload safety and air vacuum valve for rapid lowering.
- Ideal for workshop or roadside use, takes the effort out of lifting heavy plant, tractors and commercial vehicles.
- Suitable for high-risk environments such as mining or the petroleum industries.
- Fast lift, can reach maximum height in 25 seconds

Order Code: PAFJ3




Premier Air Operated Fast Jack 3tonne Three Stage

- Lightweight and portable with 2 'D' handles.
- Suitable for use on car ramps for additional vehicle lifting and access.
- Robust high-resistant diaphragm for durability. Internal military gauge
- steel telescopic interlocking core.
- Overload safety and air vacuum valve for rapid lowering.
- Ideal for workshop or roadside use, takes the effort out of lifting heavy plant, tractors and commercial vehicles.
- Suitable for use in high risk environments such as mining or the petroleum industries.
- Fast lift, can reach maximum height in 25 seconds.
- Order Code: PAFJ3S

new Air Nail/Staple Gun **Kit inc Compressor**

- Comprises SAC0610E Compressor, AH5RX 5mtr Air Hose and SA792 Nail/Staple Gun.
- Compressor can also be used with any of our air brushes
- or tyre inflators. Order Code:
- SAC0610EKIT



ON ALL ORDERS OVER £25 | UK MAINLAND ONLY

Order Code: BT001




new

On ear control to adjust volume, skip tracks and answer calls. Built-in microphone




NEXT DAY DELIVERY



ADE UP

ATINUM





PLATINUM



sales@clampcouk.co.uk



Subject to stock availability

Platinum TC3301 Tyre Changer

The Platinum TC3301 Tyre Changer affords an ergonomic design coupled with high quality, durable European manufactured components, to produce what we believe to be our finest semi-automatic tyre changing machine.

The Platinum TC3301 Tyre Changer includes the following as standard:

- 2 x Plastic inserts for fitting head
- 4 x Plastic Jaw protection covers
- 1 x Plastic bead breaker
- 1 x Tyre lever bar
- 1 x Air inflation gun
- 1 x Filter lubrication regulator
- 1 x Soap reservoir

Tyre Changer Features:

- Aluminium alloy air tank with 2500Kg pressure
- Standard aluminium alloy 80mm small tank, increase clamp power to 106Kg
- Chromium alloy assembling head
- Zinc-base alloy gear box
- LCD digital inflator, High-pressure explosion-proof air-oil separator
- American import GATES
 transmission belt
- Aluminium five way valve, swing air valve
- Enforced post design, stability increase 1.5 times
- German import reversing switch

Tyre Changer Specification:

- Rim material steel, Al., Allov
- Max. wheel diameter 41"
- Max. wheel width 14"
- Inter clamp 13"-23"
- Clamp 11"-21"
- Wheel clamping size can be reduced to suit motorcycle and ATV tyre with the use of our optional adapters to, for Motorcycle: 14"-23" for ATV :8"-17"
- Power supply 110V/220V/380V 1Ph/3Ph 50/60Hz
- Air supply 8-10Bar
- Motor power 0.75KW-1.1KW

Order Code: PLTC3301

Motorcycle Adaptor

Accessories

Platinum TC3301 Tyre Changer with HA01 Assister Arm

Order Code: MCTC



The Platinum TC3301 Tyre Changer with HA01 Assisting Arm affords an ergonomic design coupled with high quality, durable European manufactured components. The TC3301 Tyre Changer comes complete with a 2 point side mounted assisting arm to allow simple removal and mounting of run flat and low-profile tyres

Order Code: PLTC3301A

ON ALL ORDERS OVER £25 | UK MAINLAND ONLY

Platinum TC3302 Tyre Changer

The Platinum TC3301 Tyre Changer includes the following as standard:

- 2 x Plastic inserts for fitting head
- 4 x Plastic Jaw protection covers
- 1 x Plastic bead breaker
- 1 x Tyre lever bar
- 1 x Air inflation gun
- 1 x Filter lubrication regulator
- 1 x Soap reservoir

Tyre Changer Features:

- Aluminium alloy air tank with 2500Kg pressure
- Standard aluminium alloy 80mm small tank, increase clamp power to 106Kg
- Chromium alloy assembling head
- Zinc-base alloy gear box

sori

 LCD digital inflator, high-pressure explosion-proof air-oil separator
 American import GATES

transmission belt

- Aluminium five way valve, swing air valve
- Enforced post design, stability increase 1.5 times
- German import
 reversing switch

Tyre Changer Specification:

- Rim material steel, Al., Alloy
- Max. wheel diameter 41"
- Max. wheel width 14"
- Inter clamp 13"-23"
- Clamp 11"-21"
- Wheel clamping size can be reduced to suit motorcycle and ATV tyre with the use of our optional adapters to, for Motorcycle: 14"-23" for ATV : 8"-17"
- Power supply 110V/220V/380V 1Ph/3Ph 50/60Hz
- Air supply 8-10Bar
- Motor power 0.75KW-1.1KW

Order Code: PLTC3302





Platinum TC3302 Tyre Changer with HA02 Assister Arm

The Platinum range of garage equipment is designed and built to last and is more that capable of dealing with even the most demanding of workloads, when you need a tyre changer that will work all day every day then this is the right equipment for the job

Order Code: PLTC3302A





sales@clampcouk.co.uk





Platinum WB6605 Wheel Balancer

The Platinum WB6605 is the first in our range of premium level wheel balancers. This unit is packed with all the usual features you expect from any other top of the range machines.

The WB6605 is a semi-automatic motorised wheel balancer utilising low speed innovation to eliminate the need to use a protective hood, making it an ergonomic solution where space is an issue.

The WB6605 Wheel Balancer also incorporates features such as semi-automatic data input, split weight facility, hidden weight facility and stick on weight placement arm for location accuracy on alloy wheels. The WB6605 wheel balancer is a very robust machine and is more than capable of handling event the most demanding of work loads.

The WB6605 Wheel Balancer comes with the following features as standard:

- Suitable For Luxury Vehicle, SUV, BPV, Light Truck.
- Extend Balance Shaft, Long Measure Ruler.
- Adapt Auto Self-accurate And Auto Self-diagnosis.
- Auto A,D Data Input.
- High Precise Long Shaft For Flat Tire.
- With Static Balance And Dynamic Balance Mode.
- Optional Wheel Cover, Universal Cones And Larger Cones.

Wheel Balancer Specification:

- Max. wheel weight 65Kg/143 lb.
- Max. tire diameter 47".
- Rim diameter 10" 24".
- Rim width 5" 14"
- Balancing speed 200rpm.
- Balancing accuracy 1g
- Power supply 110V 60Hz 1PH/230V 50Hz 1PH.

ON ALL ORDERS OVER £25 | UK MAINLAND ONLY

- Measuring time 6-8s.
- Noise level 65dB.

Order Code: PLWB6605





Platinum 4.2Ton Adjustable 2 Post Lift

Over the years the Garage Equipment has seen an increased demand for a 2 Post lift that fits neatly into small garage workshops and existing predefined workspaces. The research and development boffins have been

hard at work and we are very proud to announce the world's very first adjustable 2 Post Lift.

During the 80s and 90s, 2-Post lift manufacturers produced 2-Post car lifts that were much narrower than today's equivalents. This poses a problem for garages that are now seeking to replace these lifts as the modern 2-Post lifts are much wider and as such will not fit into the allocated work space.

This revolutionary adjustable 2-Post car lift can be set, during installation, to fit perfectly into any work space ranging from 3.2 metres (3200mm) to 2.8 metres (2800mm.) Completely eradicating the need to re-assess your garage's overall layout, which would no doubt be a time consuming and costly exercise.

The brand new patented Platinum 4.2 Ton 2-Post lift can be adjusted in increments of 100mm without the need to replace any of the components, simply set the lift to the required width, bolt it down and your done.





Order Code: XPRLP4 Order Cod

Order Code: XPRLP5

Here are some examples of 2-Post car lift widths from a range of leading manufacturers:

- Bradbury 2013 3.1 meter wide (3100mm)
- Hoffman GT2500 3 meters wide (3000mm)
- Techalemit Mk5 3 meters wide (3000mm)
- Cascos C2-7 2.8 meters/3 meters/3.1 meters
- Stenhoj Major 3.15 meters (3150mm)
- Istobal 42712 3.1 meters (3100mm)

Order Code: PWLB6608









sales@clampcouk.co.uk


www.clampcouk.co.uk







ON ALL ORDERS OVER £25 | UK MAINLAND ONLY





Ultra low profile scissor lift in the world Save £3000 against old styles lifts No excavation required

0161 476 3600







www.clampcouk.co.uk



ORDER CODE	DESCRIPTION	PRICE
EBD1	5Kg Water-based Tyre Bead Paste	£3.99
EBD2	5Kg Wax-based Tyre Bead Paste	£7.99
EBD3	5Kg Orange Wheel Sealant	£13.99
EBD5	5Kg Black Tyre Mounting Paste	£6.99
ETC1	235ml Blue Tyre Cement Vulcaniser	£2.39
ETC2	235ml Inner Tyre Liner Sealant	£4.69
ETC3	235ml Clear Tyre Vulcanising Solution	£2.50
ETC4	1 Litre Liquid Tyre Buffer Solution	£3.29
ETC5	400ml Aerosol Tyre Buffer Solution	£2.99
ETC6	945ml Black Tyre Bead Sealant	£5.95
ETC7	500ml Tyre Leak Finder	£1.29
ETC10	5 Litre Tyre Bead Lubricant Fluid	£3.99

SNAP-IN TYRE VALVES					
ORDER CODE	DESCRIPTION	QTY	PRICE		
E412	22mm Length	100	£8.49		
E413	30mm Length	100	£8.69		
E414	38mm Length (Short)	100	£7.25		
E414C	38mm Length (Chrome)	100	£16.99		
E415	32mm Length (Fat)	100	£10.60		
E418	49mm Length (Long)	100	£8.96		
E418C	49mm Length (Chrome)	100	£16.99		
TY121	Nickel Plated Tyre Valve Cores	100	£12.99		
ETP22	Plastic Tyre Valve Dust Caps	100	£1.10		



Fabricated steel stand with a toughened plastic bath. **Order Code: ETP20**



100 Pack. 60g per strip in 5g and 10g sections. **Order Code: BW30**

N.00

Steel Wheel Balance Weights

ORDER CODE	SIZE	ΒΟΧ QTY	NORMAL PRICE	NOW ONLY
BW1Z	5G	100	£5.95	£1.67
BW2Z	10G	100	£7.50	£3.29
BW3Z	15G	100	£9.75	£4.85
BW4Z	20G	100	£10.95	£6.47
BW5Z	25G	100	£12.50	£8.09
BW6Z	30G	100	£13.50	£8.90
BW7Z	35G	50	£8.75	£5.39
BW8Z	40G	50	£9.75	£5.99
BW9Z	45G	50	£10.55	£6.71
BW9AZ	50G	50	£11.95	£8.15



Alloy	Wheel	l Balan	ce Weig	hts
-------	-------	---------	---------	-----

ORDER CODE	SIZE	ΒΟΧ QTY	NORMAL PRICE	NOW ONLY
BW31Z	5G	100	£7.95	£1.71
BW32Z	10G	100	£10.95	£3.29
BW33Z	15G	100	£11.95	£4.85
BW34Z	20G	100	£13.95	£6.26
BW35Z	25G	100	£15.50	£7.16
BW36Z	30G	100	£17.25	£8.73
BW37Z	35G	50	£9.75	£4.86
BW38Z	40G	50	£10.95	£5.49
BW39Z	45G	50	£11.50	£5.94
BW40Z	50G	50	£11.95	£8.01



Clampco UK Ltd | Unit 1 Hammond Avenue | Whitehill Industrial Estate | Stockport | Cheshire | SK4 1PQ
Telephone: 0161 476 0900 | www.clampcouk.co.uk
Fax: 0161 476 3600 | Email: sales@clampcouk.co.uk