

# TPMS BUNDLE OFFERS

DIAGNOSTIC TOOL, STARTER/TOOL KITS AND SENSORS



#### **H46 ATEQ DIAGNOSTIC TOOL**

- CAN BE UPGRADED TO ALL SENSORS
   OBD UPGRADE OPTION AT ADDITIONAL COST

## **DIAGNOSTIC TOOL**

**5 YEARS FREE UPDATES** WORTH **£450.00+VAT** \*WHEN PURCHASED WITH:

EU-PRO SENSORS (METAL OR RUBBER)



#### EU PRO SENSORS

- Configurable sensor system
- Configuration in less than 4 seconds
- With only 2 sensor types
- Works with most common 433 MHz vehicles applications
- Sensor with rubber valve is limited to a max speed of 210 km/h

#### **H46 ATEQ FEATURES:**

The Hamaton H46 is a robust, upgradable diagnostic tool which provides indirect, manual, and auto relearn procedure information. The H46 configures EU-Pro sensors within seconds and has the option to add other universal aftermarket sensors available. The H46 comes with user friendly navigation and command buttons as well as an interface in multiple languages.



When installing and servicing TPMS sensors and valves, it is imperative to observe the torque tightening and fitting instructions of the manufacturers. Considering the different torques, attachment designs and fitting details, a kit of special TPMS hand tools is indispensable.

#### FFATURES.

- Calibrated Torque Tool including:
   7mm, 11mm & 12mm Hex Sockets
- Torx 10, 15 & 20 Bits
- Valve Core Torque Tool
- Grommet Removal Tool T6 Torque Screwdriver

Order Code: 562 8538



FULPRO SENSORS (METAL OR RUBBER)



#### **EU PRO SENSORS**

- Configurable sensor system
- Configuration in less than 4 seconds
- With only 2 sensor types
- Works with most common 433 MHz vehicles applications
- Sensor with rubber valve is limited to a max speed of 210 km/h



#### H36 FEATURES:

The Hamaton H36 is a low cost, robust, and easy to use starter diagnostic tool. The H36 configures EU-Pro sensors within seconds and has the option to add other universal aftermarket sensors available.

The H36 comes with user friendly navigation and command buttons as well as an interface in multiple languages.

The Hamaton H36 activates and reads TPMS sensors of all European and American vehicle brands, Provides Hamaton TPMS sensor part numbers, displays all sensor data: ID, tyre pressure, tyre temperature and battery status.

Order Code: 562 8706



#### TPMS SERVICE KIT

Available for the most commor sensor and valve types

#### FEATURES:

- 32 Service Kits
- 10 Bolt-In Valves 2 Rubber Snap In Valves
- 25 High Pressure Valve Caps
- 25 Nickel Valve Cores
- High-quality materials
- Manufactured according to OE Standards
- Protected perfectly against weather and environmental influences

Order Code: 561 1050





## WE CAN SAVE YOU OVER...

Think Tyre Repair...

THINK CLAMPCO!

#### Steel Wheel Balance Weights

			A ROUGH COMMITTEE OF THE PARTY	
ORDER CODE	SIZE	BOX QTY	NORMAL PRICE	NOW ONLY
BW1Z	5G	100	£5.95	£1.85
BW2Z	10G	100	£7.50	£3.60
BW3Z	15G	100	£9.75	£5.35
BW4Z	20G	100	£10.95	£7.05
BW5Z	25G	100	£12.50	£8.89
BW6Z	30G	100	£13.50	£9.80
BW7Z	35G	50	£8.75	£8.92
BW8Z	40G	50	£9.75	£6.58
BW9Z	45G	50	£10.55	£7.38
BW9AZ	50G	50	£11.95	£8.96

Allo	, Whool	Rolo	nce Weights
ALLU	y white	Dutu	lice breights

AND RESIDENCE OF THE PARTY OF T	A 10 10 10 10 10 10 10 10 10 10 10 10 10	A STATE OF THE STATE OF		
ORDER CODE	SIZE	BOX QTY	NORMAL PRICE	NOW ONLY
BW31Z	5G	100	£7.95	£1.80
BW32Z	10G	100	£10.95	£3.60
BW33Z	15G	100	£11.95	£5.35
BW34Z	20G	100	£13.95	£7.05
BW35Z	25G	100	£15.50	£8.89
BW36Z	30G	100	£17.25	£9.80
BW37Z	35G	50	£9.75	£8.92
BW38Z	40G	50	£10.95	£6.58
BW39Z	45G	50	£11.50	£7.38
BW40Z	50G	50	£11.95	£8.96

#### SNAP-IN TYRE VALVES



TUV Certified Rubber/Chrome Tyre Valves

ORDER REF	DESCRIPTION	QTY	OFFER!
E412	22mm Length	100	£9.50
E413	30mm Length	100	£9.55
E414	38mm Length (Short)	100	£7.99
E414C	38mm Length (Chrome)	100	£18.69
E415	32mm Length (Fat)	100	£11.66
E418	49mm Length (Long)	100	£9.85
E418C	49mm Length (Chrome)	100	£18.69
TY121	Nickel Plated Tyre Valve Cores	100	£14.28
ETP22	Plastic Tyre Valve Dust Caps	100	£??.??

### **TYRE REPAIR CHEMICALS**

Lubricants, sealants, mounting pastes and vulcanisers.



<u>.</u>			
	ORDER REF	DESCRIPTION	OFFER!
A	EBD1	5Kg Water-based Tyre Bead Paste	£4.50
В	EBD2	5Kg Wax-based Tyre Bead Paste	£8.78
С	EBD3	5Kg Orange Wheel Sealant	£15.38
D	EBD5	5Kg Black Tyre Mounting Paste	£7.69
E	ETC1	235ml Blue Tyre Cement Vulcaniser	£2.62
F	ETC2	235ml Inner Tyre Liner Sealant	£5.50
G	ETC3	235ml Clear Tyre Vulcanising Solution	£2.50
Н	ETC4	1 Litre Liquid Tyre Buffer Solution	£4.39
ı	ETC5	400ml Aerosol Tyre Buffer Solution	£3.29
J	ETC6	945ml Black Tyre Bead Sealant	£6.98
K	ETC7	500ml Tyre Leak Finder	£2.20
L	ETC10	5 Litre Tyre Bead Lubricant Fluid	£4.39

# Eg.99

# **Self-Adhesive Balance Weights**

**E7.99**PER BOX

100 Pack. 60g per strip in 5g and 10g sections. **Order Code: BW30** 

















































FLEXIBLE EXHAUST REPAIR PIPES

Clampco supply Exhaust Flexible Repair Pipes to suit most makes & models of vehicles. Our exhaust flexible pipes are made of a stainless steel outer braid with interlock (internal corrugated stainless steel) inner lining. The ends are made from aluminised steel for ease of welding and protection against corrosion.

The flexible pipes can be used to either repair your standard exhaust system or can be used with your performance exhaust system as an upgrade.

We offer two types of flexible pipe. The standard Interlock version comes with short stub ends that are designed to be welded into place. The other version is the 'Tube ended' type which can be easily clamped into place or cut to size and welded into place if need be.





## Interlock Lined Flexible Exhaust Repair Pipes

BORE	<b>42mm</b>	<b>45mm</b>	<b>48mm</b>	<b>50mm</b>	<b>54mm</b>	<b>57mm</b>	<b>60mm</b>	<b>63mm</b>	<b>76mm</b>
I.D/LENGTH	1 <sup>5</sup> /8"	1 <sup>3</sup> /4"	1 <sup>7</sup> /8"	2"	2 <sup>1</sup> /8"	2 <sup>1</sup> /4"	2 <sup>3</sup> /8"	2 <sup>1</sup> /2"	3"
100mm/4"	C10042I	C10045I	C10048I	C10050I	C10054I	C10057I	C10060I	C10063I	C10076I
	<b>£8.75</b>	<b>£9.75</b>	<b>£9.95</b>	<b>£10.25</b>	<b>£10.75</b>	<b>£10.95</b>	<b>£11.25</b>	£12.45	<b>£14.25</b>
150mm / 6"	C15042I	C15045I	C15048I	C15050I	C15054I	C15057I	C15060I	C15063I	C15076I
	<b>£9.25</b>	<b>£10.75</b>	<b>£10.95</b>	<b>£11.45</b>	<b>£11.75</b>	<b>£12.25</b>	£12.45	£13.75	<b>£14.95</b>
200mm/8"	C20042I	C20045I	C20048I	C20050I	C20054I	C20057I	C20060I	C20063I	C200761
	<b>£10.45</b>	£11.45	£12.25	£12.45	£12.75	£13.25	£13.75	<b>£14.95</b>	<b>£16.95</b>
250mm / 10"	C25042I	C25045I	C25048I	C25050I	C25054I	C25057I	C25060I	C25063I	C25076I
	<b>£10.95</b>	£12.95	£13.75	£13.95	<b>£14.25</b>	<b>£14.75</b>	£15.25	£15.95	<b>£17.95</b>



# Tube Ended Interlock Lined Flexible Exhaust Repair Pipes

BORE	<b>45mm</b>	<b>48mm</b>	<b>50mm</b>	<b>54mm</b>	<b>57mm</b>	<b>60mm</b>	<b>63mm</b>
I.D/LENGTH	1³/4"	1 <sup>7</sup> /8"	2"	2 <sup>1</sup> /8"	2 <sup>1</sup> /4"	2³/8"	2 <sup>1</sup> / <sub>2</sub> "
200mm/8"	C20045TE	C20048TE	C20050TE	C20054TE	C20057TE	C20060TE	C20063TE
	<b>£15.25</b>	<b>£15.75</b>	<b>£15.95</b>	<b>£16.75</b>	<b>£17.75</b>	<b>£17.95</b>	<b>£18.95</b>
250mm / 10"	C25045TE	C25048TE	C25050TE	C25054TE	C25057TE	C25060TE	C25063TE
	£16.45	<b>£16.45</b>	<b>£16.95</b>	<b>£17.75</b>	<b>£18.75</b>	<b>£18.95</b>	<b>£19.95</b>
300mm / 12"	C30045TE	C30048TE	C30050TE	C30054TE	C30057TE	C30060TE	C30063TE
	<b>£16.95</b>	<b>£17.45</b>	<b>£17.75</b>	<b>£18.75</b>	<b>£19.75</b>	<b>£19.95</b>	<b>£20.45</b>
350mm / 14"	C35045TE	C35048TE	C35050TE	C35054TE	C35057TE	C35060TE	C35063TE
	£17.45	<b>£17.95</b>	£18.45	<b>£18.95</b>	<b>£19.95</b>	£20.45	<b>£20.95</b>









...improving fuel quality



### **SMART DRIVE DPF CLEANER**











Order Code: EXOO2



### **CRANKCASE FLUSH**

Exocet Crankcase Flush is a formulated chemical additive for use by professional garages designed to ensure optimum crankcase cleaning and to facilitate lube oil draining prior to an oil change.

Order Code: EXOO3





### RACING DIESEL

Exocet #Racing Diesel fulfils two functions: i) to act as an additive package for unadditised, terminal-sourced DERV (basic EN590 diesel). ii) to upgrade retail diesel to premium grade fuel. 250ml.

Order Code: EXOO4





### **RACING** PETROL

Exocet #Racing Petrol is used to upgrade BS EN 228 unleaded petrol into a premium quality fuel equivalent to the highest forecourt standard available. 250ml.

Order Code: EXOO5





#### **OCTIMAX**



Exocet #OctiMax is a specialist fuel additive designed to boost the octane rating of unleaded petrol in order to satisfy the demands of high compression ratio, high performance engines. . 250ml.

Order Code: EXOO6









## **POWERBOOST**

This bespoke product acts as an ignition quality booster, combustion improver and rapid engine cleanser for diesel engines. It can be used at any time, but is particularly suitable for engines that have not run for a period of time (measured in weeks) and in cold start conditions. 250ml.

Order Code: EXOO7





## BIKE BOOST

Exocet #Bike Boost is used to upgrade BS EN 228 unleaded petrol into a premium quality fuel equivalent to the highest forecourt standard available. 250ml.

Order Code: EXOO8





### **CLASSIC**



Exocet #Classic is a fuel additive formulated specifically for cars and other petrol-engined vehicles originally designed to run on leaded fuel. 250ml.

Order Code: EXOO9





## **RUSH** 101

Exocet Rush 101 is a high performance octane booster for petrol. It will increase the octane number of forecourt fuel up to 101 RON. It is intended for use by professional motorsport teams and at enthusiast track days. 250ml.

Order Code: EXO10





## WINTER RACING DIESEL



Exocet #Winter Racing Diesel fulfils two functions:

i) to act as an additive package for unadditised, terminal-sourced DERV (basic EN590 diesel)

ii) to upgrade retail diesel to premium grade fuel 250ml.

Order Code: EXO11





## ANTI-WAX ADDITIVE



Exocet #Anti-Wax is formulated to improve the cold flow and handling properties of diesel and gas oil. 250ml.

Order Code: EX012













## **DELTA ADHESIVES**

Why use DELTA thread locking adhesive?

DELTA thread locking adhesives prevent self-loosening and secure threaded fasteners against vibration, unwanted movements, leaks and corrosion. They are a single component liquid which cures at room temperature when applied between steel, brass, aluminium and most other metals, they cure in the absence of air and fill gaps between threads and joints.

















## SEALANT

Order Code: DA205 - Black Order Code: DA206 - Grey Order Code: DA207 - White 310ml



### RTV SILICONE

Order Code: EPST6B - Black Order Code: EPST6C - Clear Order Code: EPST6W - White 310ml



Order Code: DA213 200ml







RAPID EPOXY **ADHESIVE** 

Order Code: DA300 **25ml** 



**OUICK STEEL EPOXY ADHESIVE** 

> Order Code: DA301 **25ml**



STEEL STICK **EPOXY PUTTY** 

> Order Code: DA304 125g




**ADHESIVE** 

Order Code: DA314 25ml




Order Code: DA350

25ml





















Order Code: DA312

with most 50ml twin cartridges in the market place.





## **EUROTEK MINI SPIN**



It can be bolted onto an existing workshop bench,
Tyrechanger or into a vehicle. It is then used in the
same manner as a floor mounted wheel balancer.

#### **FEATURES**

- Ideal for mobile vans and workshops
- Selectable programs, Standard, Aluminium, Static, Dynamic and Motorcycle
- · Easy to operate touch pad design
- 12vdc supply required (240v 12vdc + cigarette lighter adaptor supplied)
- Callipers, weight pliers included
- Set of 4 cones included
- Quick release speed nut supplied
- 10"-24" rim diameters
- 1.5"-20" rim width





**Includes:** Set Of 4 Cones, Measuring Callipers, Quick-release Speed Nut and Weight Pliers

Easy-to-Use, User-friendly Design, Selectable Programs: Standard, Aluminium, Dynamic and Motorcycle







ON ALL ORDERS OVER £25 | UK MAINLAND ONLY



The Platinum 42FM 4.2 Ton 2-Post Vehicle Lift comes equipped with the following features as standard:

- 4.2 ton lifting capacity
- 2 stage arms
- Double height screw pads
- Manual safety release system
- Arm locking mechanisms fully compliant with the EN1493 directive
- 90mm lift pad extensions for 4×4 and vans included
- High quality powder coated finish
- Full H-frame base support for fixing to floors that have insufficient concrete depth.
- Platinum 42FM 4.2 ton 2-post vehicle lift come with a full two year parts warranty

The Platinum 42FE
2-Post Car Lift features a
H-Frame design and comes equipped with
the following features as standard:

- 4.2 ton lifting capacity
- Available in single or three phase
- Double height screw pad
- Single button electronic safety release system
- Arm locking mechanisms fully compliant with the EN1493 directive
- 90mm lift pad extensions for 4×4 and vans included
- High quality powder coated finish
- On a full base for when floor structure is not sufficient
- All Platinum 2 post lifts come with a full two year parts warranty















### Fast, Accurate Alignment at an Economical Price!







#### **EUROTEC 2 Post** Vehicle Lifts (4Ton)

MANUAL LOCKING Regular Price: £1395.00 Order Code:

EUR024BMU

**ELECTRO LOCKING** Regular Price:

£1595.00 **Order Code: EURO24BEU** 



#### Platinum WB6605 **Wheel Balancer**

The WB6605 is a semi-automatic motorised wheel balancer utilising low speed innovation to eliminate the need to use a protective hood, making it an ergonomic solution where space is an issue.

Order Code: WB6605







available on the market today.

Order Code: QT4W

competitively priced Laser Wheel Alignment units



# NUM 3D ALIGNER

1. V-1000+



2. V-1000M+



3. V-1000S



V-1000




The Platinum 3D wheel alignment system is the first in our range to be our premium level of wheel alignment systems. The technology in this product is packed with features allowing the range to be user friendly, making it easy for anyone to use.





- Auto target tracking
- Full HD measurement cameras
- Micro targets allowing use on 4 post lifts
- I toe technology (no need for steering wheel clamp)
- All in one post mounted console (no need for large bulky cabinet)
- Drive on camera
- Quick clamping



PACKAGE DEAL BUY BOTH & SAVE £1500







0161 476 3600



sales@clampcouk.co.uk



www.clampcouk.co.uk











Clampco UK Ltd | Unit 1 Hammond Avenue | Whitehill Industrial Estate | Stockport | Cheshire | SK4 1PQ

Telephone: 0161 476 0900 | www.clampcouk.co.uk