

WHEEL PULLER RANGE

MOST COMPREHENSIVE RANGE ON THE MARKET FOR ALL YOUR WHEEL PULLING NEEDS

Large Universal Internal / External Puller

 **17700000**

340MM EXTENDED REACH

Large Capacity Universal Puller Kit

- Suitable for applications with a large span
- Includes two pairs of setting sleeves to ensure pulling length is equal for each leg; less time is spent levelling nut position
- Reach: 295 - 340mm
- Spread: 0mm - 400mm
- Suitable for use with air tools
- Internal / external reversible legs - can also be used for internal applications



REVERSIBLE
LEGS

£399.00

Ideal for use on bearings, gears and brake discs



Configuration 1 - 1
setting sleeve per leg

Configuration 2 - 2
setting sleeve per leg

N.B. Use of the puller without setting sleeves is possible however more care is needed to guarantee successful levelling

HGV Hydraulic Wheel Puller

£2995.00




Features:

- 12 tonne hydraulic ram system
- 2 Spigot ring sizes for most popular applications - 281mm & 221mm
- 4 high strength chains
- 2 hook types specially designed for internal and external pulling applications
- Supplied in metal case

- Designed specifically for the removal of 10 stud 22.5" HGV wheels
- Pulls inner and outer wheels on twin or single wheel hubs
- 12 tonne hydraulic force dislodges the most difficult of seized rims
- Suitable for alloy or steel wheels (soft coated hook sets required for use on alloy wheels - available to purchase separately)

TROLLEY INCLUDED

 **20880000**



**Soft coated hooks shown but not supplied - available separately*

Soft Coated Hook Sets



 **20882200**

- 4pc Internal Hooks

£375.00



 **20882400**


- 4pc External Hooks

£375.00

HGV Hub Puller Kit

Universal wheel HUB extractor

- Variable for pitch circle diameter up to 445mm
- To suit wheel stud sizes commonly found on **DAF, MAN, MERC, RENAULT, SCANIA & VOLVO** models



£479.00

SUITABLE FOR USE WITH AIR TOOLS

 **21027500**

Contains 5 x thread adaptor pairs;

- M18 x P1.5 x 65mm/L
- M20 x P1.5 x 65mm/L
- M22 x P1.5 x 65mm/L
- 7/8" - 11 BSF
- 7/8" - 14 UNF